Canon imagePROGRAF TX-TZ Series

This document describes the supported feature and options of the Canon iPF TX-TZ series printer driver for Fiery XF. These drivers are based on Fiery XF 8.0.4

Supported printers.

- Canon imagePROGRAF TX-2200
- Canon imagePROGRAF TX-5220 (Asia version of TM-2200)
- Canon imagePROGRAF TX-3200
- Canon imagePROGRAF TX-5320 (Asia version of TM-3200)
- Canon imagePROGRAF TX-4200
- Canon imagePROGRAF TX-5420 (Asia version of TM-4200)
- Canon imagePROGRAF TZ-32000
- Canon imagePROGRAF TZ-5320 (Asia version of TM-32000)

Specification Summary

24 inch printer models:

- Canon imagePROGRAF TX-2200
- Canon imagePROGRAF TX-5220

36 inch printer models:

- Canon imagePROGRAF TX-3200
- Canon imagePROGRAF TX-5320
- Canon imagePROGRAF TZ-32000
- Canon imagePROGRAF TZ-5320

44 inch printer models:

- Canon imagePROGRAF TX-4200
- Canon imagePROGRAF TX-5420

© 2024 Fiery, LLC. All rights reserved.

	24 inch printer models	36 inch printermod-els	
Printer Type	5 Colour - 24"/609.6mm	5 Colour 36”/917mm	5 Colour 44 ”/1118mm
Print Technology	Canon Bubblejet on Demand 6 colours integrated type (6 chips per print head x 1 print head)	←	←
Number of Nozzles	Total: 15,360 MBK: 5,120 nozzles C, M, Y, BK: 2,560 nozzles each	←	←
Print Resolution	2400 dpi x 1200 dpi	←	←
Nozzle Pitch	1,200 x 2 includes Non-firing nozzle detection and compensation system	←	←
Ink Droplet Size	5 pl per colour	←	←
Ink Capacity	330ml/160ml	←	←
Ink Type	Pigment ink: 5 colour MBK/BK/C/M/Y	←	←
Printer Languages	HP-GL/2, HP RTL, JPEG (Ver. JFIF 1.02), CALS G4 (submission via FTP only)	←	←
Media Feed and Output	Roll Paper: One Roll, Front-loading, Front Output Optional Roll Paper: One Roll, Front-loading, Front Output Cut Sheet: Front-loading, Front Output (Manual feed using media locking lever)	←	←
Media Width	Roll paper: 203.2 - 609.6 mm Cut sheet: 203.2 – 609.6 mm	Roll paper: 203.2 ~ 917mm Cut sheet: 203.2 ~ 917 mm	Roll paper: 203.2 ~ 1118mm Cut sheet: 203.2 ~ 1118mm
Minimum Printable Length	203.2 mm	←	←
Borderless Printing Width (Roll Only)	Any media size	←	←

Supported OS

- Windows 64

Color Mode

- CMYK Contone
- RGB

Ink Configuration

- Canon imagePROGRAF TX/TZ series
  - LUCIA TD 5 color inks

Supported media tray

- Roll Paper (Auto) Automatic roll switching is available if a second roll tray is installed.
- Roll 1
- Roll 2 (Option)
- Manual tray

First Steps

Fiery XF needs a valid connection to the imagePROGRAF printer, this could be a network or USB connection. As soon as the port is set up correctly and the printer is online, Fiery XF will download the media information from the printer.


Troubleshooting

- Double check if the port settings are correct and the printer is power on and not in sleep mode.
- The communication and data loading from the printer will need some time. Wait for at least 2 minutes for network connection and up to 5 Minutes for USB connection.
- The media information will only read once at application start time. To trigger a rescan of the media list please press the “Test” button.
- Finally, if all doesn’t help, please restart the Fiery XF server.

Special printer settings

- Cutting modes


Only supported for roll media.



Auto cut will work only if front output bin is selected in the printer panel settings for media being used.


- Borderless printing

All media sizes will allow borderless printing, including user defined size.




- Output method

If Save data before printing is on, then printer will save the job in HDD before printing.



- Dry time

Setup the dry time in seconds.




- Printer information

This section will show printer status, ink status, media status, and printer configuration.



- Profile synhronization

User can download the media and profile information by clicking on the Sync button.



- Job Settings

Job status and accounting will track print progress of job in the printer in real time and will log the consumables in Fiery XF.
Media type mismatch will check if the job media is or correct type as loaded in printer and if the job size is also not larger than media size loaded in printer.

