



EPSON SureColor P series CT & RGB drivers

General settings

CT and RGB contone drivers offering CMYK and RGB color modes were introduced in Fiery XF 6.2.2 and support Windows 64 bit. Mac OS X has been dropped with 7.0

Supported printer driver	Supported printer models
Epson SureColor P6000 series	6000 6050 (Japan) 6070 (Australia/New Zealand) 6080 (China/Hong Kong)
Epson SureColor P7000 series	7000 7050 (Japan) 7070 (Australia/New Zealand) 7080 (China/Hong Kong)
Epson SureColor P8000 series	8000 8050 (Japan) 8070 (Australia/New Zealand) 8080 (China/Hong Kong)
Epson SureColor P9000 series	9000 9050 (Japan) 9070 (Australia/New Zealand) 9080 (China/Hong Kong)

Specification summary

Item	Epson SureColor 9000 / 7000	Epson SureColor P-8000 / 6000
Print head	PRECISIONCORE TFP print head (360 nozzles x10 lines x 1)	
Print width	24/44 inches	
Ink type	<ul style="list-style-type: none">• EPSON Ultrachrome HDX Violet: * C/M/Y/Pk/Mk/Lc/Lm/Lk/Or/Gr/V• EPSON Ultrachrome HDX*: C/M/Y/Pk/Mk/Lc/Lm/Lk/LLk/Or/Gr All inks are revised	<ul style="list-style-type: none">• EPSON ULTRACHROME HD C/M/Y/Pk/Mk/Lc/Lm/Lk/LLk All inks are revised

Item	Epson SureColor 9000 / 7000	Epson SureColor P-8000 / 6000
Black ink	Pk/Mk switching, optical density improved	
Paper source	Roll paper feeder (spindle-less, 2 and 3in. core) Cut sheet loader (automatic loaded, sheet by sheet)	
Media type	Roll paper, cut sheet, board paper	
Media size	Paper width (44in. model) : 254 - 1118mm Paper width (24in. model) : 254 - 610mm Max. roll paper diameter : 103mm (2in. core), 150mm (3in. core) Paper thickness : 0.08 - 0.5mm (roll paper)	
I/F	USB 2.0 10Base-T/100Base-T/1000Base-T	
HDD unit	Optional equipment	
Take-up reel	Optional equipment for 44in models	
Cutter	Automatic rotary cutter	
SpectroProofer	Available ILS30	

* You select the ink type at the initial install. You cannot change it after the initial install.

Ink configuration for P9000/7000

You can select an ink type when you set up the printer.

EPSON Ultrachrome HDX Violet: C/M/Y/Pk/Mk/Lc/Lm/Lk/Or/Gr/V

EPSON Ultrachrome HDX: C/M/Y/Pk/Mk/Lc/Lm/Lk/LLk/Or/Gr (same as current Stylus Pro Px900 printer)

You can select either ink type in Color Tools. For the Violet configuration select “EPSON UltraChrome HDX (Violet)” or “EPSON UltraChrome HDX (Violet) Matte”.

If the selected ink type does not match the ink inserted in the printer, a command error is displayed at the printer panel.

Print modes

Media type	Input resolution (dpi)	Printer resolution (dpi)	Print quality
Premium Glossy Photo Paper Epson Premium Semigloss Epson Premium Luster	360 x 360 720 x 720	720 x 720 720 x 1440 2880 x 1440	720 x 1440 dpi/Normal 720 x 1440 dpi/Super 2880 x 1440 dpi/Super
Premium Glossy Photo Paper(250) DutyUP* Premium Glossy Photo Paper(250) Premium Semigloss Photo Paper(250) Premium Luster Photo Paper(260) Premium Semimatte Photo Paper(260) Premium Glossy Photo Paper(170) Premium Semigloss Photo Paper(170) Photo Paper Gloss 250	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440 720 x 1440 2880 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super 2880 x 1440 dpi/Super
Gloss Film 2	360 x 360 720 x 720	720 x 1440 720 x 1440	720 x 1440 dpi/Normal 720 x 1440 dpi/Super
Epson Proofing Paper White Semimatte Epson Proofing Paper Commercial RC Proof Paper-1* RC Proof Paper-2* Epson Proofing Paper White Semimatte DutyUP*	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440 2880 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Super 2880 x 1440 dpi/Super
	1440 x 1440	1440 x 1440	1440 x 1440 dpi/Super
RC Thin Proof Paper-3*	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Super
Enhanced Matte Paper (Photo Black) Epson Archival Matte (Photo Black) Enhanced Matte-Poster Board (Photo Black) Velvet Fine Art Paper (Photo Black) Watercolor Paper - Radiant White (Photo Black) UltraSmooth Fine Art Paper (Photo Black)	360 x 360 720 x 720	720 x 1440 720 x 1440	720 x 1440 dpi/Normal 720 x 1440 dpi/Super
Canvas Satin	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440 720 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super
Plain Paper Plain Paper (Thin) Plain Paper (Thick)	360 x 360	360x360 360x720	360 x 360 dpi/Normal 360 x 720 dpi/Normal
	360 x 360 720 x 720	720 x 720 720 x 720	720 x 720 dpi/Normal 720 x 720 dpi/Super

Media type	Input resolution (dpi)	Printer resolution (dpi)	Print quality
Enhanced Matte Paper	360 x 360	720 x 360	720 x 360 dpi/Normal
	360 x 360 720 x 720	720 x 720 720 x 1440 720 x 1440 2880 x 1440	720 x 720 dpi/Normal 720 x 1440 dpi/Normal 720 x 1440 dpi/Super 2880 x 1440 dpi/Super
Epson Archival Matte Enhanced Matte-Poster Board	360 x 360	720 x 720	720 x 720 dpi/Normal
	720 x 720	720 x 720 720 x 1440 720 x 1440 2880 x 1440	720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super 2880 x 1440 dpi/Super
Singleweight Matte Paper Doubleweight Matte Paper Photo Quality InkJet Paper	360 x 360	720x360	720 x 360 dpi/Normal
	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440 720 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super
Epson Super Fine Paper (J model)	360 x 360	720 x 360	720 x 360 dpi/Normal
	360 x 360 720 x 720	720 x 720 720 x 720 720 x 1440 720 x 1440	720 x 720 dpi/Normal 720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super
Enhanced Synthetic Paper	360 x 360	720 x 360 720 x 720 720 x 720	720 x 360 dpi/Normal 720 x 720 dpi/Normal 720 x 720 dpi/Super
	360 x 360	720 x 360	720 x 360 dpi/Normal
Enhanced Adhesive synthetic Paper Heavyweight Polyester Banner	360 x 360	720 x 360	720 x 360 dpi/Normal
	360 x 360 720 x 720	720 x 720 720 x 720	720 x 720 dpi/Normal 720 x 720 dpi/Super
Velvet Fine Art Paper Watercolor Paper - Radiant White UltraSmooth Fine Art Paper	360 x 360	720 x 1440	720 x 1440 dpi/Normal
	720 x 720	720 x 1440 2880 x 1440	720 x 1440 dpi/Super 2880 x 1440 dpi/Super
Canvas Matte	360 x 360	720 x 720	720 x 720 dpi/Normal
	720 x 720	720 x 720 720 x 1440 720 x 1440	720 x 720 dpi/Super 720 x 1440 dpi/Normal 720 x 1440 dpi/Super

* Supported in CT driver only

Supported Options

The settings below are valid for all printer models mentioned in this supplement.

Setting	Options
Print direction	Uni-directional Bi-directional
Media suction	Use printer default -1 -2 -3 -4
Printer dryer	0..100 minutes
Auto cut	Autocut On Autocut Off Print horizontal line
Borderless	On Off
Measurement settings for verification (ILS30)	M0 - UV included M1 - D50 UV included M2 - UV cut
Printer hard disk	<div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> <p>Printer hard disk</p> <p><input checked="" type="checkbox"/> Hard disk installed</p> <p><input checked="" type="radio"/> Print and save simultaneously</p> <p><input type="radio"/> Store print data first then print</p> <p><input type="checkbox"/> Delete print data after print</p> </div> <p>Select "Hard disk installed" if the printer has a hard disk. In this configuration the print data is stored and printed simultaneously and the print data remains on the hard disk, so it is possible to reprint using the web interface of the printer.</p>
Wait for print completion	This checkmark controls the behavior after print data transfer: If enabled, the driver will wait until printer status becomes printed or error.