



EPSON SureColor SC-T34x0, SC-T34x5, SC-T54x0 and SC-T54x5 RGB drivers

This document describes the supported features and options of the EPSON SC-T34x0, SC-T34x5, SC-T54x0 and SC-T54x5 RGB printer drivers for Fiery XF.

Supported printers

Driver Names (appearance in Fiery XF)

I. **EPSON SC-T34x0**

EPSON SureColor SC-T3400 (Europe, Middle East, Soviet Union)

EPSON SureColor SC-T3430 (Southeast Asia)

EPSON SureColor SC-T3440 (Korea)

EPSON SureColor SC-T3450 (Japan)

EPSON SureColor SC-T3460 (Australia, New Zealand)

EPSON SureColor SC-T3470 (America, Canada)

EPSON SureColor SC-T3480 (China, Hong Kong)

II. **EPSON SC-T34x5**

EPSON SureColor SC-T3405 (Europe, Middle East, Soviet Union)

EPSON SureColor SC-T3435 (Southeast Asia)

EPSON SureColor SC-T3445 (Korea)

EPSON SureColor SC-T3455 (Japan)

EPSON SureColor SC-T3465 (Australia, New Zealand)

EPSON SureColor SC-T3475 (America, Canada)

EPSON SureColor SC-T3485 (China, Hong Kong)

III. **EPSON SC-T54x0**

EPSON SureColor SC-T5400 (Europe, Middle East, Soviet Union)

EPSON SureColor SC-T5430 (Southeast Asia)

EPSON SureColor SC-T5440 (Korea)

EPSON SureColor SC-T5450 (Japan)

EPSON SureColor SC-T5460 (Australia, New Zealand)

EPSON SureColor SC-T5470 (America, Canada)

EPSON SureColor SC-T5480 (China, Hong Kong)

IV. **EPSON SC-T54x5**

EPSON SureColor SC-T5405 (Europe, Middle East, Soviet Union)

EPSON SureColor SC-T5435 (Southeast Asia)

EPSON SureColor SC-T5445 (Korea)

EPSON SureColor SC-T5455 (Japan)

EPSON SureColor SC-T5465 (Australia, New Zealand)

EPSON SureColor SC-T5475 (America, Canada)

EPSON SureColor SC-T5485 (China, Hong Kong)

Supported OS

- Windows 64
- *Mac OS X not supported*

License

EPSON SC-T34x0 driver: Printer Option Group 2

EPSON SC-T34x5 driver: Printer Option Group 2

EPSON SC-T54x0 driver: Printer Option Group 4

EPSON SC-T54x5 driver: Printer Option Group 4

Technical specifications

Item	SC T-3400/3405	SC T-5400/5405
Printer width	24 inches	36 inches
Print head	Micro TFP Head (400nozzles x 8lines x 1), 300dpi Print head height: 1.33 inches	
Ink set	C/M/Y/MK	
Media size	Paper width: 254 - 610mm (Roll)/210-610mm (Sheet) Paper thickness: 0.08 - 0.3mm (Roll / Sheet)	Paper width: 254 - 914mm (Roll) / 210-914mm (Sheet) Paper thickness: 0.08 - 0.3mm (Roll / Sheet)
Interface	USB 3.0 (Download the appropriate Epson Printer Driver from the EPSON website) 100Base-TX/ 1000Base-T	
Borderless	Supported	

Color mode

- RGB

Ink configuration

- EPSON Ultra Chrome XD2

Media source

- Roll
- Single Sheet (Cut Sheet)

Supported Options:

Cut

- Autocut On
- Autocut Off
- Print horizontal line

Printer Dryer

- 0...100minutes

Print Borderless

- On
- Off

Supported Resolutions and Print Modes:

Media Name (ID)	Quality Name	Rip Resolution	Print Resolution	
			X Res	Y Res
Plain Paper (1)	300 x 600 dpi/Draft	300	300	600
	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Plain Paper (line drawing) (332)	300 x 600 dpi/Draft	300	300	600
	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	600/1200	1200	1200
Singleweight Matte Paper (330)	600 x 1200 dpi/Speed	300/600	600	600
	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Singleweight Matte Paper (line drawing) (334)	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Doubleweight Matte Paper (279)	600 x 1200 dpi/Speed	300/600	600	600
	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Enhanced Matte Paper (306)	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Epson Archival Matte (274)	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Epson Photo Quality InkJet Paper (318)	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Coated Paper (Geeric) (422)	300 x 600 dpi/Draft	300	300	600
	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Coated Paper (Geeric) (line drawing) (423)	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Premium Glossy Photo Paper_170 (363)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200

Premium Semigloss Photo Paper_170 (364)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Premium Glossy Photo Paper (281)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Epson Premium Semigloss (275)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Epson Premium Luster (284)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Epson Photo Paper Light (396)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Photo Paper (Generic) (421)	1200 x 600 dpi/Speed	300/600	1200	600
	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Tracing Paper (J Model) (333)	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	600/1200	1200	1200
Tracing Paper (Low Duty) (394)	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	600/1200	1200	1200
Matte Film (425)	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	600/1200	1200	1200
Enhanced Synthetic Paper (429)	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Enhanced Adhesive Synthetic Paper (428)	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Enhanced Low Adhesive Synthetic Paper (427)	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200
Heavyweight Polyester Banner (288)	1200 x 600 dpi/Quality	300/600	1200	600
	1200 x 1200 dpi/MaxQuality	300/600	1200	1200

Backlight Film Roll (426)	1200 x 1200 dpi/Quality	300/600	1200	1200
	2400 x 1200 dpi/MaxQuality	300/600	2400	1200
Blueprint Paper (436)	300 x 600 dpi/Draft	300	300	600
	600 x 600 dpi/Speed	300/600	600	600
	600 x 1200 dpi/Quality	300/600	600	1200
	1200 x 1200 dpi/MaxQuality	600/1200	1200	1200

Media Formats:

I. EPSON SC-T34x0 and SC-T34x5 drivers:

Printing type	Media Format (Roll)	Media Format (Sheet)
Border	• 24 inch × 50 m • 17 inch × 50 m • 16 inch × 50 m • 14 inch × 50 m • 13 inch × 50 m • 10 inch × 50 m • 300 mm • ISO A1 Roll (594 × 15000 mm) • ISO A2 Roll (420 × 15000 mm) • ISO A3+ Roll (329 × 15000 mm) • JIS B2 Roll (515 × 15000 mm) • JIS B4 Roll (257 × 15000 mm)	• 610 x 15000 mm • ISO A1 (594 x 841 mm) • ISO A2 (420 x 594 mm) • A3+ (329 x 483 mm) • A3 transvers (420 x 297 mm) • ISO A3 (297 x 420 mm) • A4 transvers (297 x 210 mm) • A4 plus (241 x 340 mm) • ISO A4 (210 x 297 mm) • 13x19 inch • US B (11 x 17 in) • Letter (8.5 x 11 in)
Borderless	• 24 inch • 17 inch • 16 inch • 13 inch • 10 inch • 300 mm • ISO A1 Roll (594 × 15000 mm) • JIS B2 Roll (515 × 15000 mm)	• ISO A1+ (24 x 36 inch) • ISO A1 (594 x 841 mm) • A3+ (329 x 483 mm) • US C (17 x 22 in) • ARCH D (24 x 36 inch) • JIS B2 (515 x 728 mm) • 10 x 12 inch • 16 x 20 inch • 24 x 30 inch • 300 x 400 mm

II. EPSON SC-T54x0 and SC-T54x5 drivers:

Printing type	Media Format (Roll)	Media Format (Sheet)
Border	• 36 inch x 50 m • 24 inch x 50 m • 17 inch x 50 m • 16 inch x 50 m • 14 inch x 50 m • 13 inch x 50 m • 10 inch x 50 m • 300 mm • ISO A0 Roll (841 x 15000 mm) • JIS B1 Roll (728 x 15000 mm) • ISO A1 Roll (594 x 15000 mm) • ISO A2 Roll (420 x 15000 mm) • JIS B2 Roll (515 x 15000 mm) • ISO A3+ Roll (329 x 15000 mm) • JIS B4 Roll (257 x 15000 mm)	• 914 x 15000 mm • ISO A1 (594 x 841 mm) • ISO A2 (420 x 594 mm) • A3+ (329 x 483 mm) • A3 transvers (420 x 297 mm) • ISO A3 (297 x 420 mm) • A4 transvers (297 x 210 mm) • A4 plus (241 x 340 mm) • ISO A4 (210 x 297 mm) • 13x19 inch • US B (11 x 17 in) • Letter (8.5 x 11 in)
Borderless	• 36 inch • 24 inch • 17 inch • 16 inch • 13 inch • 10 inch • 300 mm • ISO A0 Roll (841 x 15000 mm) • JIS B1 Roll (728 x 15000 mm) • ISO A1 Roll (594 x 15000 mm) • JIS B2 Roll (515 x 15000 mm) • ISO A3+ Roll (329 x 15000 mm)	• ISO A1+ (24 x 36 inch) • ISO A1 (594 x 841 mm) • A3+ (329 x 483 mm) • US C (17 x 22 in) • ARCH D (24 x 36 inch) • JIS B2 (515 x 728 mm) • 10 x 12 inch • 16 x 20 inch • 24 x 30 inch • 300 x 400 mm

Tips

- Download the Epson Printer Driver from the EPSON website to enable USB connectivity.
- Set the pinch roller pressure to low/light to avoid printhead smudging.

Change History

Version	Date	Description	Updated by	Affected XF Versions
v1.0	9-Apr-26	First version	Samarth Shinnur	Fiery XF 9.0.2
v1.1	6-Aug-26	Updated print modes	Samarth Shinnur	Fiery XF 9.0.2