



Roland DG VersaUV LEF2-300

This document bridges the gap between the Fiery XF documentation and the Roland DG VersaUV LEF2-300 documentation.

Refer to the Installation section before you connect the printer to a computer. The Operation section has information on profile generation and everyday use. Please refer also to the documentation shipped with your printer, which you can also download from [here](#).

General settings

The printer driver supports the printers: Roland DG VersaUV LEF2-300.

Environment requirements are as follows: The driver is available for Windows only. This printer connects via network port to the XF server.

Products based on Fiery XF technology: EFI Fiery XF 7.3.1

Fiery XF Model	Description
Roland VersaUV LEF2-300 GIGIW	7 colors (CMYKGIGIW)
Roland VersaUV LEF2-300 PrGIW	7 colors (CMYKPrGIW)
Roland VersaUV LEF2-300D GIGIW	7 colors (CMYKGIGIW)

Operation

Color Tools settings

- **Dot size:**
The dot size cannot be selected. The printer driver decides which dot size (Variable, Fixed, etc.) to use.
- **Ink type:**
This printer supports only Eco-UV4 and Eco-UV ink.
- **Layered printing and split head control:**
For more information, see separate printer supplement

Print mode information:

FS = Feed Speed(mm/sec). SS = Scan Speed(mm/sec). DS = Dot Size Definition. DT = Dot Type. Pass = PassesPerLine.

Roland VersaUV LEF2-300 GIGIW:

Print Mode	Resolution	FS	SS	Pass	DS	DT	Media Type
Draft 2p	360x360	10	723	1	SML	2	Generic
Draft 2p (White)	360x360	10	723	1	SML	4	Special effects
High Speed 10p (A)	720x720	10	760	2	SML	4	Generic
High Speed 10p (B)	720x720	10	150	2	SML	2	Generic
High Speed 10p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (White) (A)	720x720	10	760	2	SML	4	Special effects
High Speed 10p (White) (B)	720x720	10	150	2	SML	2	Special effects
High Speed 10p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (A)	720x720	10	760	2	SML	4	Generic
Standard 12p (B)	720x720	10	150	2	SML	2	Generic
Standard 16p (A)	720x720	10	760	2	SML	4	Generic
Standard 16p (B)	720x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->MatteVarnish) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	720x720	10	723	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (MatteVarnish->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (White) (A)	720x720	10	760	2	SML	4	Special effects
Standard 12p (White) (B)	720x720	10	150	2	SML	2	Special effects
Standard 12p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (Matte A)	720x720	10	723	2	SML	2	Special effects
High Speed 10p (Gloss A)	720x720	10	723	2	SML	2	Special effects
High Speed 8p (Matte B)	720x720	10	723	2	SML	2	Special effects
High Speed 8p (Gloss B)	720x720	10	723	2	SML	2	Special effects
High Speed 10p (GlossVarnish) (A)	720x720	10	723	2	SML	2	Special effects
Standard 10p (Matte A)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (Gloss A)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (MatteEmbossing(v) 1)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (MatteEmbossing(v) 2)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (A)	1440x720	10	380	2	SML	4	Generic
Standard 12p (B)	1440x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	1440x720	10	380	2	SML	4	Generic with special effects

Standard 12p (CMYK->MatteVarnish) (B)	1440x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	1440x720	10	380	2	SML	4	Generic with special effects
Standard 12p (MatteVarnish->CMYK) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (A)	1440x720	10	380	2	SML	4	Generic
High Quality 16p (B)	1440x720	10	150	2	SML	2	Generic
High Quality 16p (CMYK->MatteVarnish(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (CMYK->MatteVarnish(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (MatteVarnish(v) 16p)	1440x720	10	360	2	SML	2	Special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (White)	1440x720	10	380	2	SML	4	Special effects
High Quality 32p (CMYK->White) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (CMYK->White) (B)	1440x720	10	150	4	SML	2	Generic with special effects
High Quality 32p (White(v) HD)	1440x720	10	635	4	SML	4	Special effects
High Quality 32p (White) (A)	1440x720	10	380	2	SML	4	Special effects
High Quality 32p (White) (B)	1440x720	10	150	4	SML	2	Special effects
High Quality 32p (White->CMYK) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (White->CMYK) (B)	1440x720	10	150	4	SML	2	Generic with special effects

Roland VersaUV LEF2-300 PrGIW:

Print Mode	Resolution	FS	SS	Pass	DS	DT	Media Type
Draft 2p	360x360	10	723	1	SML	2	Generic
Draft 2p (White)	360x360	10	723	1	SML	4	Special effects
High Speed 10p (A)	720x720	10	760	2	SML	4	Generic
High Speed 10p (B)	720x720	10	150	2	SML	2	Generic
High Speed 10p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (White) (A)	720x720	10	760	2	SML	4	Special effects
High Speed 10p (White) (B)	720x720	10	150	2	SML	2	Special effects
High Speed 10p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (A)	720x720	10	760	2	SML	4	Generic
Standard 12p (B)	720x720	10	150	2	SML	2	Generic
Standard 16p (A)	720x720	10	760	2	SML	4	Generic
Standard 16p (B)	720x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->MatteVarnish) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	720x720	10	723	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects

Standard 12p (MatteVarnish->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (Primer->CMYK)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (Primer->White)	720x720	10	760	2	SML	4	Special effects
Standard 12p (Primer1)	720x720	10	760	2	SML	4	Special effects
Standard 12p (Primer2)	720x720	10	760	2	SML	4	Special effects
Standard 12p (White) (A)	720x720	10	760	2	SML	4	Special effects
Standard 12p (White) (B)	720x720	10	150	2	SML	2	Special effects
Standard 12p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (Matte A)	720x720	10	723	2	SML	2	Special effects
High Speed 8p (Matte B)	720x720	10	723	2	SML	2	Special effects
High Speed 10p (Gloss A)	720x720	10	723	2	SML	2	Special effects
Standard 10p (Matte A)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (Gloss A)	1440x720	10	360	2	SML	2	Special effects
Standard 8p (Gloss B)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (A)	1440x720	10	380	2	SML	4	Generic
Standard 12p (B)	1440x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	1440x720	10	380	2	SML	4	Generic with special effects
Standard 12p (CMYK->MatteVarnish) (B)	1440x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	1440x720	10	380	2	SML	4	Generic with special effects
Standard 12p (MatteVarnish->CMYK) (B)	1440x720	10	150	2	SML	2	Generic with special effects
Standard 12p (Primer->CMYK)	1440x720	10	380	2	SML	4	Generic with special effects
Standard 12p (Primer1)	1440x720	10	380	2	SML	4	Special effects
Standard 12p (Primer2)	1440x720	10	380	2	SML	4	Special effects
High Quality 16p (A)	1440x720	10	380	2	SML	4	Generic
High Quality 16p (B)	1440x720	10	150	2	SML	2	Generic
High Quality 16p (CMYK->MatteVarnish(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (CMYK->MatteVarnish(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (MatteVarnish(v) 16p)	1440x720	10	360	2	SML	2	Special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (Primer->White)	1440x720	10	380	2	SML	4	Special effects
High Quality 16p (White)	1440x720	10	380	2	SML	4	Special effects
High Quality 32p (CMYK->White) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (CMYK->White) (B)	1440x720	10	150	4	SML	2	Generic with special effects
High Quality 32p (Primer->White(v) HD)	1440x720	10	635	4	SML	4	Special effects
High Quality 32p (White(v) HD)	1440x720	10	635	4	SML	4	Special effects
High Quality 32p (White)	1440x720	10	150	4	SML	2	Special effects
High Quality 32p (White->CMYK) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (White->CMYK) (B)	1440x720	10	150	4	SML	2	Generic with special effects

Roland VersaUV LEF2-300D GIGIW:

Print Mode	Resolution	FS	SS	Pass	DS	DT	Media Type
Draft 2p	360x360	10	723	1	SML	2	Generic
Draft 2p (White)	360x360	10	723	1	SML	4	Special effects
High Speed 10p (A)	720x720	10	760	2	SML	4	Generic
High Speed 10p (B)	720x720	10	150	2	SML	2	Generic
High Speed 10p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (White) (A)	720x720	10	760	2	SML	4	Special effects
High Speed 10p (White) (B)	720x720	10	150	2	SML	2	Special effects
High Speed 10p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
High Speed 10p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (A)	720x720	10	760	2	SML	4	Generic
Standard 12p (B)	720x720	10	150	2	SML	2	Generic
Standard 16p (A)	720x720	10	760	2	SML	4	Generic
Standard 16p (B)	720x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->MatteVarnish) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (CMYK->White) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (CMYK->White) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	720x720	10	723	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (MatteVarnish->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
Standard 12p (White) (A)	720x720	10	760	2	SML	4	Special effects
Standard 12p (White) (B)	720x720	10	150	2	SML	2	Special effects
Standard 12p (White->CMYK) (A)	720x720	10	760	2	SML	4	Generic with special effects
Standard 12p (White->CMYK) (B)	720x720	10	150	2	SML	2	Generic with special effects
High Speed 10p (Matte A)	720x720	10	723	2	SML	2	Special effects
High Speed 10p (Gloss A)	720x720	10	723	2	SML	2	Special effects
High Speed 8p (Matte B)	720x720	10	723	2	SML	2	Special effects
High Speed 8p (Gloss B)	720x720	10	723	2	SML	2	Special effects
High Speed 10p (GlossVarnish) (A)	720x720	10	723	2	SML	2	Special effects
Standard 10p (Matte A)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (Gloss A)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (MatteEmbossing(v) 1)	1440x720	10	360	2	SML	2	Special effects
Standard 10p (MatteEmbossing(v) 2)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (A)	1440x720	10	380	2	SML	4	Generic
Standard 12p (B)	1440x720	10	150	2	SML	2	Generic
Standard 12p (CMYK->MatteVarnish) (A)	1440x720	10	380	2	SML	4	Generic with special effects
Standard 12p (CMYK->MatteVarnish) (B)	1440x720	10	150	2	SML	2	Generic with special effects
Standard 12p (MatteVarnish)	1440x720	10	360	2	SML	2	Special effects
Standard 12p (MatteVarnish->CMYK) (A)	1440x720	10	380	2	SML	4	Generic with special effects

Standard 12p (MatteVarnish->CMYK) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (A)	1440x720	10	380	2	SML	4	Generic
High Quality 16p (B)	1440x720	10	150	2	SML	2	Generic
High Quality 16p (CMYK->MatteVarnish(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (CMYK->MatteVarnish(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (MatteVarnish(v) 16p)	1440x720	10	360	2	SML	2	Special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (A)	1440x720	10	380	2	SML	4	Generic with special effects
High Quality 16p (MatteVarnish->CMYK(v) 16p) (B)	1440x720	10	150	2	SML	2	Generic with special effects
High Quality 16p (White)	1440x720	10	380	2	SML	4	Special effects
High Quality 32p (CMYK->White) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (CMYK->White) (B)	1440x720	10	150	4	SML	2	Generic with special effects
High Quality 32p (White(v) HD)	1440x720	10	635	4	SML	4	Special effects
High Quality 32p (White) (A)	1440x720	10	380	2	SML	4	Special effects
High Quality 32p (White) (B)	1440x720	10	150	4	SML	2	Special effects
High Quality 32p (White->CMYK) (A)	1440x720	10	635	4	SML	4	Generic with special effects
High Quality 32p (White->CMYK) (B)	1440x720	10	150	4	SML	2	Generic with special effects

Dot Type Information:

ECO-UV4 INK

Dot Type		Small	Medium	Large
1	Cyan	12.97	22.72	33.35
	Magenta			
	Yellow			
	Black			
	White	11.39	20.19	29.64
	Gloss	12.68	23.33	34.47
	Primer	11.88	25.37	33.10
2	Cyan	12.97	22.72	33.35
	Magenta			
	Yellow			
	Black			
	White	11.39	20.19	29.64
	Gloss	12.68	23.33	34.47
	Primer	11.88	25.37	33.10
4	Cyan	4.91	9.94	20.03
	Magenta			
	Yellow			
	Black			
	White	5.28	10.46	19.90
	Gloss	4.71	10.06	21.00
	Primer	4.30	9.11	19.42

ECO-UV INK

Dot Type		Small	Medium	Large
6	Cyan	12.86	24.91	34.51
	Magenta			
	Yellow			
	Black			
	White	10.99	21.56	30.55
	Gloss	13.94	27.80	39.08
	Primer	12.47	22.98	33.77
7	Cyan	12.86	24.91	34.51
	Magenta			
	Yellow			
	Black			
	White	10.99	21.56	30.55
	Gloss	13.94	27.80	39.08
	Primer	12.47	22.98	33.77
8	Cyan	4.88	9.82	19.72
	Magenta			
	Yellow			
	Black			
	White	4.96	8.82	17.28
	Gloss	5.40	9.96	20.19
	Primer	4.35	9.42	20.41